OIPE 18 2006 8

**ATTORNEY DOCKET No.: 14014.0252U3** 

**APPLICATION No.: 10/719,311** 

**SHEET 1 OF 15** 

exO	· Con	nplete if Known	
PORMATION DISCLOSURE STATEMENT LIST	. Application Number	10/719,311	
	Filing Date	November 20, 2003	
(Use as many sheets as necessary)	First Named Inventor	Chiorini et al.	

(Use as many sheets as necessary)	First Named Inventor Chiorini et al.		ıl.				
				Group Art Unit		1633	
		·		Examiner Name		Kaushal, S.	
	-		U.S. PATEN	T DOCUMENTS	3.00		
Examiner's Initials	Cite No.	Document No.	Date	Name	Class	Subclas s	Filing Date (if appropriate
/SK/	B1	6,146,874	Nov 14 2000	Zolotukhin et al.	439	235.1	5/27/1999
	B2	6,180,613	Jan 30 2001	Kaplitt et al.	510		6/6/1995
	В3	6,221,349	Apr 24 2001	Couto et al.	42		
	B4	6,309,634	Oct 30 2001	Bankiewicz et al.	5/	7	1/4/01
	85	6,391,858	May 21 2002	Podsakoff et al.	51.		1/4/01
	B6 ·	6,485,976	Nov 26 2002	Nadler et al.	43		
	B7	6,855,314	Feb 15 2005	Chiorini et al.	40		
	B8	6,984,517	Jan 10 2006	Chiorini et al.	4		
	B9	2002/0076754 A1	Jun 20 2002	Sun et al.	4		4/20/31
	B10	2003/0228282 A1	Dec 11 2003	Gao et al.	9	0.00	
	B11	2004/0110266 A1	Jun 10 2004	Chiorini et al.	43		5/17/22
	B12	2004/0115789 A1	Jun 17 2004	Meruelo et al.	43		
/SK/	B13	2005/0255089 A1	Nov 17 2005	Chiorini et al.	43		7/19/25
				ENT DOCUMENTS	1_/2.	1176	1,1,1
Examiner's Initials	Cite No.	Foreign Patent Document Country Code- Number-Kind Code	Date	Name		Transla	tion Yes/No
7SK/	B14	DE 44 36 664 A1	Jul 04 1996	Heilbronn, R.		YES	
	B15	EP 1 310 571	May 14 2003	Gao et al.			
	B16	WO 1993/24641 A	Dec 09 1993	Carter et al.			
-	B17	WO 1995/11997 A	May 04 1995	Kem et al.			
	B18	WO 1996/15777 A	May 30 1996	Wiener et al.			
	B19	WO 1997/06272	Feb 20 1997	Natsoulis, Georges	<del></del>		
	B20	WO 1998/41240 A	Sept 24 1998	High et al.			
	B21	WO 1998/45462 A	Oct 15 1998	Ciliberto et al.			
	B22	WO 1999/61601 A	Dec 02 1999	Chiorini et al.		•	
	B23	WO 2000/26254	May 11 2000	Kleinschmidt, et al.		NO (ISR	attached)
	B24	WO 2000/28061	May 18 2000	Wilson et al.	•		
	B25	WO 2001/70276 A	Sep 27 2001	Chiorini et al.			
	B26	WO 2001/83692	Nov 08 2001	Hildinger et al.			
	B27	WO 2003/093479	Nov 13 2003	Muzyczka et al.			
/(01)//	B28	WO 2004/112727A	Dec 29 2004	Avigen, Inc. et al.			
/SK/ I	B29	WO 2005/017101	Feb 24 2005	Bossis et al.			

APPLICATION No.: 10/719,311 SHEET 2 OF 15

·					plete if Known	
INFORM	ATION D	ISCLOSURE STATE	MENT LIST	Application Number	10/719,311	
41	1		on/\	Filing Date	November 20, 2003	
((	use as m	any sheets as necess	ary)	First Named Inventor	Chiorini et al.	
				Group Art Unit	1633	
				Examiner Name	Kaushal, S.	
/SK	B30	WO 2005/056807 A	Jun 23 2005	Chiorini et al.		
/SK/	B31	WO 2006/029196	Mar 16 2006	Chiorini et al.		
/SK/	B32	WO 2006/119432	Nov 09 2006	Schmidt et al.		
				T DOCUMENTS		
Examiner's Initials	Cite No.	Non-Patent Cita	tions (include A	uthor, Title, Publisher, Rele Publication)	vant Pages, Date and Place of	
/sk/	B33			ts Greatly Increase the Transdi 994, J. Virol., 68(12):8282-828	uction of Nondividing Cells by Adeno-	
	B34	Alisky et al., "Transduc Neurosci., August 200			inant FIV and AAV5 Vectors," Mol.	
	B35			al labeling of converging affere 4, <i>Journal of Neuroscience Me</i>	nt pathways using biotinylated dextranethods, 52:143-148.	
	B36			D., "Improved adeno-associated virus vector production with rus gene, E4orf6," 2000, Mol Ther, 1:88-95.		
	B37	Arnberg, N., A. H. Kido	I, K. Edlund, J. Ni	lilsson, P. Pring-Akerblom, and G. Wadell, "Adenovirus type 37 binds rge-dependent interaction," 2002, Virology, 302:33-43.		
	B38	Atchison, R. W., B. C. Science, 149:754-756.		. Hammon, "Adenovirus-Assoc	iated Defective Virus Particles," 1965,	
	B39	Auricchio et al., "A Sin Vectors," October 200	•		ype-5 Based Adeno-Associated Viral	
	B40			tak, J.L. Melnick, H.G. Pereira, rverology, 11:248-254.	P. Tattersall, and C. Vago,	
	B41	Bajocchi G, Feldman S central nervous system	SH, Crystal RG, M n using recombina	lastrangeli A., "Direct <i>in vivo</i> ge ant adenovirus vectors," 1993,	ene transfer to ependymal cells in the Nat Genet, 3:229-234.	
	B42		=		associated virus type 5 is only s," 1999, <i>J Virol.</i> , 73(2):939-947.	
•	B43	Bantel-Schaal U, zur F a genital site," 1984, V			ective human parvovirus isolated from	
	B44	Bantel-Schaal, U. and normal cells," 1992, J.			on adherence and growth properties of	
	B45			eck, J., "Endocytosis of adeno- olgi compartment," 2002, <i>J Viro</i>	associated virus type 5 leads to 176:2340-2349.	
Bartlett JS, Kleinschmidt J., Boucher RC, and Samulski RJ, "Targeted adeno-associated by a bispecific F(ab'gamma) <sub>2</sub> antibody 17:181-186.						
· /SK/	B47	Bartlett JS, Samulski F brain," 1998, Hum Ger		•	adeno-associated virus type 2 in	

/Sumesh Kaushal/ (03/08/2007) Date Considered: Examiner Signature:

APPLICATION No.: 10/719,311 SHEET 3 OF 15

<del>-</del>			Com	plete if Known		
INFORM	MATION	DISCLOSURE STATEMENT LIST	Application Number	10/719,311		
	'llee ee e	manu abanta de pacassanu)	Filing Date	November 20, 2003		
	Use as r	nany sheets as necessary)	First Named Inventor	Chiorini et al.		
			Group Art Unit	1633		
			Examiner Name	Kaushal, S.		
/SK/	B48	Bartlett, J.S., Wilcher, R. and Samulski, R.J., "Infectious entry pathway of adeno-associated virus and adeno-associated virus vectors," 2000, <i>J Virol</i> , 74:2777-2785.				
	B49	Ben-Israel, H. and Kleinberger, T., "Ade	enovirus and cell cycle control,"	2002, Front Biosci, 7:d1369-1395.		
	B50	Bergelson, JM, Cunningham JA, Drogu RL, and Finberg RW, "Isolation of a cor 1997, Science, 275:1320-1323.	ett G., Kurt-Jones EA, Krithivas	A., Hong JS, Horwitz MS, Crowell		
	B51	Berns, K. I., "Parvoviridae: the viruses a virology, 3rd ed. Lippincott-Raven Publ				
	B52	Blacklow, et al., "Serologic Evidence fo 40(2):319-327.				
	B53	Blacklow, N.R., Hoggan, M.D. and Row Proc Natl Acad Sci U S A, 58:1410-14		s-associated viruses from man," 196		
	B54	Bomsel M, Alfsen A, "Entry of viruses the Cell Biol, 4:57-68.	through the epithelial barrier: pathogenic trickery," 2003, Nat Rev Mo			
	B55	Bomsel M, David V, "Mucosal gatekeep 116.	pers: selecting HIV viruses for e	arly infection," 2002, Nat Med, 8:11		
	B56	Bossis, I. and Chiorini, J.A., "Cloning of Recombinant AAAV Particles," 2003, J		rus (AAAV) and Generation of		
	B57	Burcin, M.M., O'Malley, B.W. and S.Y. Frontiers in Bioscience, 3:c1-7.	Tsai, "A regulatory system for ta	arget gene expression," 1998,		
	B58	Carter, B. J., B. A. Antoni, and D. F. Kle allows growth of adeno-associated viru				
	B59	Carter, B. J., C. A. Laughlin, L. M. de la 1979, <i>Virology</i> , 92:449-462.	Maza, and M. Myers, "Adeno-a	associated virus autointerference,"		
	B60	Casto, B. C., R. W. Atchison, and W. M. virus type I (AAV-1) and adenoviruses. adenovirus," 1967a, <i>Virology</i> , 32:52-59	I. Replication of AAV-1 in certain			
	B61	Casto, B. C., J. A. Armstrong, R. W. Ata adeno-associated virus type 1 (AAV-1) nature and specificity," 1967b, <i>Virology</i>	and adenoviruses. II. Inhibition	tudies on the relationship between of adenovirus plaques by AAV; its		
	B62	Chang, L.S. and Shenk, T., "The adence by adenovirus and adeno-associated vi				
	B63	Chang, L.S., Y. Shi, and T. Shenk, "Addinducible element and a binding site for	eno-associated virus P5 promot the major late transcription fact	ter contains an adenovirus E1A-tor,"1989, J. Virol., 63:3479-3488.		
	B64	Chao H et al., "Several Log Increase in Serotype Vectors," 2000, Molecular The	erapy, 2(6):619-623.			
/SK	B65	Chejanovsky, N. and B.J. Carter, "Muta effects on viral DNA replication," 1989b		e adeno-associated virus rep gene:		

**Examiner Signature:** 

/Sumesh Kaushal/ (03/08/2007) Date Considered:

APPLICATION No.: 10/719,311 SHEET 4 OF 15

				nplete if Known	
INFOR	MATION	DISCLOSURE STATEMENT LIST	Application Number	10/719,311	
	(Use as r	nany sheets as necessary)	Filing Date	November 20, 2003	
	(555 55	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	First Named Inventor	Chiorini et al.	
			Group Art Unit	1633	
			Examiner Name	Kaushal, S.	
/SK/	B66	Chejanovsky, N. and B.J. Carter, "Rep containing an inducible amber suppres			
	B67	Chiorini JA, Afione S, Kotin RM, "Adenterminal resolution site compared with	• • • • • • • • • • • • • • • • • • • •	• •	
	B68	Chiorini JA, Kim F, Yang L, Kotin RM, 1999b, Feb., <i>J Virol.</i> , 73(2):1309-1319,	_	of adeno-associated virus type 5,"	
	B69	Chiorini, J.A., C.M. Wendtner, E. Urcel T cell co-stimulatory molecule B7-2 to l vectors, "1995, Human Gene Therapy,	ymphoid cells using high-titer re	•	
	B70	Chiorini, J.A., L. Yang, B. Safer, and R Rep78 binding sites by random sequen	-	•	
	871	Chiorini, J.A., M.D. Weitzman, R.A. Ow proteins of adeno-associated virus type 68:797-804.			
	B72	Chiorini, J.A., S.M. Wiener, R.M. Kotin, R.A. Owens, SRM Kyöstiö, and B. Safer, "Sequence for stable binding and function of Rep68 on the adeno-associated virus type 2 inverted termi repeats,"1994b, J. Virol., 68:7448-7457.			
	B73	Clark et al., "Highly Purified Recombination of Detectable Helper and Wild-Type Vir		•	
	B74	Cohen-Salmon et al., "Targeted ablatio causes hearing impairment and cell de			
	B75	Coria et al., "Isolation and identification 1978, American Journal of Veterinary F	• •		
	B76	Crystal RG, "Transfer of genes to huma 270(5235):404-410.	ans: early lessons and obstacle	es to success," 1995, Science,	
	B77	Database EMBL, Entry GGACTAA, Ge	nBank Accession number M61	166, 3/27/1991, XP002125220	
	B78	Davidson BL, Doran SE, Shewach DS, Latta JM, Hartman JW, Roessler BJ., "Expression			
	B79	Deonarain MP, "Ligand-targeted recept 1998, 8(1):53-69.	or-mediated vectors for gene d	lelivery," Molecular Conjugate Vectors	
	B80	Derby, M. L., M. Sena-Esteves, et al., "vaccinia virus vectors," 1999, Hear Res	•	lian inner ear using HSV-1 and	
	B81	Di Pasquale, G., Rzadzinska, A., Schne efficiently transduces inner ear neuroep 855, XP004908862.		•	
/SK/	B82	Di Pasquale, G., and J. A. Chiorini, "PK <i>EMBO J</i> , 22:1716-1724.	A/PrKX activity is a modulator	of AAV/adenovirus interaction," 2003,	

	/Sumesh Kaushal/ (03/08/200	Z
Examiner Signature:	Date Considered:	
		_

APPLICATION No.: 10/719,311

**SHEET 5 OF 15** 

				plete if Known
INFORM	ATION	DISCLOSURE STATEMENT LIST	Application Number	10/719,311
	llaa aa	manu abasta sa sassassa.\	Filing Date	November 20, 2003
	use as i	nany sheets as necessary)	First Named Inventor	Chiorini et al.
			Group Art Unit	1633
			Examiner Name	Kaushal, S.
/ <b>S</b> K/	B83	Di Pasquale, G., B. L. Davidson, et al., Nat Med 9(10):1306-1312.	"Identification of PDGFR as a r	eceptor for AAV-5 transduction," 2
	B84	Dixit, M., M.S. Webb, W.C. Smart, and associated virus that harbors a human		
	B85	Doll RF, Crandall JE, Dyer CA, Aucoin into mammalian brain cells using AAV	- ·	•
	B86	Duan, D., Yue Y., Yan Z., McCray PBJ recombinant adenoassociated virus info 9:2761-2776.		
	B87	During MJ, Symes CW, Lawlor PA, Lin Lipski J, Young D, "An oral vaccine aga 2000, Science, 287:1453-1460.		
	B88	During MJ, Xu R, Young D, Kaplitt MG, using an adeno-associated virus vector		
	B89	During MJ, Leone P, "Adeno-associate 1995-96, Clin Neurosci, 3(5):292-300,		of neurodegenerative disorders,*
	B90	Erles, K., Sebokova, P. and Schlehofer to adeno-associated virus (AAV)," 1999		ce of serum antibodies (IgG and Ig
	B91	Fan D-S, Ogawa M, Fujimoto K-I, Ikegu Nagatsu I, Ichinose H, Nagatsu T, Kurt Iesioned rats by cotransduction of striat decarboxylase genes using two separa 2535.	zman GJ, Ozawa K, "Behaviora tum with tyrosine hydroxylase a	al recovery in 6-hydroxydopamine- and aromatic L-amino acid
	B92	Fisher, KJ, Jooss K., Alston J., Yang Y. *Recombinant adeno-associated virus f		
	B93	Fisher, R.E., H.D. Mayor, "The evolutio 149:429-439.	n of defective and autonomous	parvoviruses," 1991, J Theor Biol
	B94	Flannery et al., "Efficient Photoreceptor Associated Virus," 1997, Proc Natl Aca	•	vivo by Recombinant Adeno-
	B95	Flotte TR, Solow R, Owens RA, Afione virus vectors in airway epithelial cells,"		
	B96	Flotte, T.R., S.A. Afione, C. Conrad, S.A. Carter, "Stable in vivo expression of the associated virus vector," 1993, Proc. No.	e cystic fibrosis transmembrane	conductance regulator with an ad-
	B97	Flotte, T.R., S.A. Afione, R. Solow, M.L. "Expression of the cystic fibrosis transmit virus promoter," 1993, <i>J Biol Chem</i> , 268	nembrane conductance regulate	~~
SK/	B98	Frolenkov GI, Belyantseva IA, Friedman ear hair cells," 2004, Nat Rev Genet, 5:		hts into the morphogenesis of inne

Examiner Signature: /Sumesh Kaushal/ (\$35682064) idered:

**ATTORNEY DOCKET No.: 14014.0252U3 APPLICATION No.: 10/719,311** 

**SHEET 6 OF 15** 

				mplete if Known
INFO	RMATION I	DISCLOSURE STATEMENT LIST	Application Number	10/719,311
	/l lee as n	nany sheets as necessary)	Filing Date	November 20, 2003
	(036 93 11	larly sheets as necessary)	First Named Inventor	Chiorini et al.
			Group Art Unit	1633
			Examiner Name	Kaushal, S.
/S	(/ B99	Gao, G., L. H. Vandenberghe, M. R. Alvassociated viruses are widely disseminated		
	B100	Gao, G.P., Alvira, M.R., Wang, L., Calc viruses from rhesus monkeys as vector 99:11854-11859.		
	B101	GenBank Accession number AY186198	3	
	B102	Georg-Fries B, Biederlack S, Wolf J, zu seroepidemiology of a new human parv	•	
	B103	Ghodsi A., Stein C., Derksen T., Martin improves beta-glucuronidase distributio gene transfer," 1999, Exp Neurol, 160:1	n and pathology in murine MF	
	B104	Ghodsi A., Stein, C., Derksen T., Yang, activity in murine central nervous system <i>Ther</i> , 9:2331-2340.		
	B105	Girod A., Ried M., Wobus C., Lahm H., capsid modifications allow efficient re-ta 1056.		
	B106	Grimm, D. and M. A. Kay, "From virus e adeno-associated virus (AAV) as novel 304.		•
,	B107	Grimm D and Kern A, Rittner K Kleinsch Recombinant Adenoassociated Virus V		
	B108	Guy J., Qi X., Muzyczka N., and Hauswassociated virus-mediated gene transfe	=	
	B109	Halbert CL, Standaert TA, Aitken ML, A associated virus vectors in the rabbit air 71:5932-5941.	•	·
	B110	Halbert, C. L., J. M. Allen, and A. D. Mil transduction of airway epithelial cells in 75:6615-6624.	· · · · · · · · · · · · · · · · · · ·	•
	B111	He, D. Z., J. Zheng, et al., "Developmer Res 162(1-2):113-125.	nt of acetylcholine receptors in	cultured outer hair cells," 2001, Hea
	B112	Hehir K.M., Armentano D., Cardoza L.M. Everton M.B., Keegan J., Martin J.M., P. characterization of replication-competer prevent their occurrence," 1996, <i>J Virol</i> ,	Pratt D.A., Smith M.P., Smith And variants of adenovirus vectors	A.E., Wadsworth S.C., Moiecular
/SK	/ B113	Heister, T., Heid, I. Ackermann, M., Fra vectors mediate site-specific integration chromosome 19," 2002 <i>J Virol</i> , 76(14):7	at the adeno-associated virus	• •

Examiner Signature: /Sumesh Kaushal (Date) Stons plered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICATION No.: 10/719,311 SHEET 7 OF 15

-			Comp	olete if Known	
INFOR	MATION E	ISCLOSURE STATEMENT LIST	Application Number	10/719,311	
	40.0		Filing Date	November 20, 2003	
	(Use as m	any sheets as necessary)	First Named Inventor	Chiorini et al.	
			Group Art Unit	1633	
			Examiner Name	Kaushal, S.	
Hermonat PL, Santin AD, De Greve J, latency and expression at map unit 96 identification of p81, a new AAV transc			of a wild-type plus adeno-associ	iated virus (AAV)/Neo vector and	
	B115	Hermonat, PL and N Muzyczka, "Use of transduction of neomycin resistance into 81:6466-6470.	of adeno-associated virus as a matter to mammalian tissue culture cell	nammalian DNA cloning vector: s,* 1984, <i>Proc Natl Acad Sci USA</i> ,	
	B116	Hermonat, P.L., M.A. Labow, R. Wright isolation and preliminary characterization 339.			
	B117	Hoggan, M. D., N. R. Blacklow, and W. preparations: physical, biological, and i 55:1467-1474.	P. Rowe, "Studies of small DNA mmunological characteristics," 1	A viruses found in various adenovir 1966, <i>Proc Natl Acad Sci USA</i> ,	
	B118	Hoggan, M.D., "Adenovirus associated	d viruses," 1970, <i>Prog Med Virol</i> , 12:211-239.		
	B119	Holt, J. R., "Viral-mediated gene transfe 2002, <i>Audiol Neurootol</i> , 7(3):157-160.	sfer to study the molecular physiology of the Mammalian inner ear		
	B120	Holt, J. R., D. C. Johns, et al., "Function cells infected with adenoviral vectors,"	•		
	B121	Hsueh Y-P, Sheng M., "Regulated expertence of the syndecan-binding Neurosci, 19(17):7415-7425.			
	B122	Hsueh Y-P, Yang F-C, Kharazia V, Nai CASK/LIN-2 and syndecan heparan su synapses," 1998, <i>J Cell Biol</i> , 142(1):13	Ifate proteoglycan and their over		
	B123	Hull, R. N., J. R. Minner, and J. W. Smikidney cells. I. Origin and properties of S.V.12 and S.V.15," 1956, Am J Hyg, 6	cytopathogenic agents S.V.1, S		
	B124	Hull, R. N., and J. R. Minner, "New vira Problems of isolation and identification			
	B125		lascoli, "New viral agents recovered from tissue cultures of monkey all agents both from cultures of monkey tissues and directly from tiss -44.		
	B126	Hunter, L.A. and R.J. Samulski, "Coloc nuclei of infected cells," 1992, <i>J. Virol.</i> ,		rus Rep and capsid proteins in the	
	B127	Im DS, Muzyczka N, "Partial purification biochemical characterization," 1992 Fe		·	
	B128	Inglis VI, Jones MP, Tse AD, Easton A model of the blood-brain barrier,* 2004		increase permeability in a cell culti	
/SK/	B129	Ito, M. and H.D. Mayor, "Hemagglutinin 100:61-68.	of type 4 adeno-associated sat	ellite virus," 1968, J. Immunol,	

Examiner Signature: /Sumesh Kaushal/ (D981/2000) dered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**APPLICATION No.: 10/719,311** 

SHEET 8 OF 15

,	<u> </u>		Comp	olete if Known
INFORM	NOITAN	DISCLOSURE STATEMENT LIST	Application Number	10/719,311
	// lee ee <del>m</del>	any chaote as nacossany	Filing Date	November 20, 2003
	(Use as n	nany sheets as necessary)	First Named Inventor	Chiorini et al.
		•	Group Art Unit	1633
			Examiner Name	Kaushal, S.
/SK/	B130	Jaksch, M., K.D. Gerbitz, and C. Kilger, nonradioactive single strand conformati	"Screening for mitochondrial DI on polymorphism (SSCP) analy	NA (mtDNA) point mutations using sis," 1995 <i>Clin. Biochem.</i> , 28:503-509
	B131	Janik, J.E., M.M. Huston, K. Cho, and J proteins requires both adenovirus DNA	.A. Rose, "Efficient syntheses o	f adeno-associated virus structural
	B132	Jero J, Mhatre AN, Tseng CJ, Stern RE AK., "Cochlear gene delivery through at 12(5):539-548.	, Coling DE, Goldstein JA, Hong	g K, Zheng WW, Hoque AT, Lalwani
	B133	Johansson CB, Momma S, Clarke DL, f the adult mammalian central nervous sy		
	B134	Kaludov et al., "Adeno-Associated Virus Hemagglutination and Efficient Transdu 75(15):6884-6893.		
	B135	Kaludov et al., "Scalable Purification of Chromatography," 2002, Human Gene		, 4 or 5 Using Ion-Exchange
	B136	Kanzaki, S., K. Ogawa, et al., "Transger and advanced generation adenovirus ve	ne expression in neonatal mous ectors," 2002, <i>Hear Res</i> , 169(1-	se inner ear explants mediated by firs 2):112-120.
	B137	Kaplitt, M.G., P. Leone, R.J. Samulski, expression and phenotypic correction under the contraction of the co	X. Xiao, D.W. Pfaff, K.L. O'Malle sing adeno-associated virus ver	ey, and J.M. During, "Long-term gene ctors in the mammalian brain," 1994,
	B138	Katano et al., "Identification of adeno-as 2004, Biotechniques, 36(4):676-680, XI		cell and virus stocks by PCR," April
	B139	Kelsell, D.P., Dunlop, J., Stevens, H.P., "Connexin 26 mutations in hereditary no 83	Lench, N.J., Liang, J.N., Parry, on-syndromic sensorineural dea	G., Mueller, R.F., Leigh, I.M., afness," 1997, <i>Nature</i> , 387(6628):80-
	B140	Kem, A., K. Schmidt, C. Leder, O. J. M. J. A. Kleinschmidt, "Identification of a horal J Virol, 77:11072-11081.	uller, C. E. Wobus, K. Bettinger, eparin-binding motif on adeno-a	C. W. Von der Lieth, J. A. King, and associated virus type 2 capsids," 2003
	B141	Klein RL, Meyer EM, Peel AL, Zolotukh in the rat septohippocampal or nigrostri Exp Neurol, 150:183-194.	in S, Meyers C, Muzyczka N, Ki atal pathway by recombinant ad	ing MA., "Neuron-specific transduction leno-associated virus vectors," 1998,
	B142	Kondo M., Finkbeiner WE, and Widdico from dog tracheal epithelium," 1991, An	n.J.Physiol, 261:L106-L117.	
	B143	Kotin, R.M., M. Siniscalco, R.J. Samuls Rocchi, and K.I. Berns, "Site-specific in USA, 87:2211-2215.	ki, X. Zhu, L. Hunter, C.A. Laug tegration by adeno-associated v	hlin, S. McLaughlin, N. Muzyczka, M. virus,* 1990, <i>Proc. Natl. Acad. Sci.</i>
/SK/	B144	Kovacs P, Pinter M, Csaba G, "Effect of on <i>Tetrahymena pyriformis</i> : data on the 18(4):269-280.	f glucosphingolipid synthesis in evolution of the signaling syste	nibitor (PPMP and PDMP) treatment em," 2000, Cell Biochem Funct,

Examiner Signature: /Sumesh Kaushal/ (03/08/2007)

Date Considered:

APPLICATION No.: 10/719,311 SHEET 9 OF 15

			Com	nplete if Known
INFOR	MATION [	DISCLOSURE STATEMENT LIST	Application Number	10/719,311
	/1 lso so #	nany chaote as nacassany)	Filing Date	November 20, 2003
	(USE as II	nany sheets as necessary)	First Named Inventor	Chiorini et al.
			Group Art Unit	1633
			Examiner Name	Kaushal, S.
/SK/	B145	Kyo S, Nakamura M, Kiyono T, Maida Y immortalization of endometrial glandula <i>Am J Pathol</i> , 163(6):2259-2269.	-	
	B146	Kyostio SR, Owens RA, Weitzman MD, virus (AAV) wild-type and mutant Rep plevels," 1994, <i>J Virol</i> , 68(5):2947-2957,	proteins for their abilities to neg	
	B147	Laughlin, C.A., M.W. Myers, D.L. Risin, adeno-associated virus," 1979, Virology	•	ring particles of the human parvovirus
	B148	Laughlin, C.A., N. Jones, and B.J. Carte replication of adeno-associated virus,"	•	ovirus early region 1 genes upon
	B149	Lee K, Kim YG, Jo EC, "Shuttle PCR-bagenome," 2003, J Virol Methods, 111(2)	•	adeno-associated virus type 5
	B150	Li J, Samulski RJ, Xiao X, "Role for Hig Vector Production," J Virol, 1997, 71(7)		ssion in Adeno-Associated Virus
	B151	Li Duan, M., T. Bordet, et al., "Adenovir guinea pig cochlea," 2002, Neuroreport		vector mediated gene transfer in the
	B152	Liang Y, Annan RS, Carr SA, Popp S, Note the Drosophila slit protein are ligands of Chem, 274(25):17885-17892.		
	B153	Lo WD, Qu G, Sferra TJ, Clark R, Chen the brain: duration and modulation of ex		
	B154	Luchsinger, E., Strobbe, R., Dekegel, Desimple tool for the separation of adeno- Arch Gesamte Virusforsch, 33:251-258	associated X 7 virus (AAVX 7	
	B155	Luchsinger, E., Strobbe, R., Wellemans adeno-associated virus (AAV) in associated virus (Sesamte Virusforsch, 31:390-392.		
	B156	Luebke, A. E., J. D. Steiger, et al., "A monomorphism cochlear function," 2001,		ect cochlear hair cells in vivo without
·	B157	Luebke, A. E., P. K. Foster, et al., "Coclusing adenovirus- and adeno-associate		
	B158	Maeda Y, Ikeda U, Ogasawara Y, Urab K, *Gene transfer into vascular cells usi 35(3):514-521, XP-002125030		
	B159	Mandel RJ, Rendahl KG, Spratt SK, Sn recombinant adeno-associated virus-model of GTP-cyclohydrolase I in a rat model of	ediated gene transfer of humar	n tyrosine hydroxylase and human
/SK/	B160	McCarty, D.M., J. Pereira, I. Zolotukhin, sequences that specifically bind the ade	X. Zhou, J.H. Ryan, and N. M	uzyczka, *Identification of linear DNA

Examiner Signature: /Sumesh Kaushal/ (03) (03/08/20) Insidered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

APPLICATION No.: 10/719,311 SHEET 10 OF 15

		•		olete if Known	
INFOR	MATION [	SISCLOSURE STATEMENT LIST	Application Number	10/719,311	
	/llep as m	any sheets as necessary)	Filing Date	November 20, 2003	
	(Use as II	iany sneets as necessary,	First Named Inventor	Chiorini et al.	
•		•	Group Art Unit	1633	
			Examiner Name	Kaushal, S.	
/SK/	B161	McCown TJ, Xiao X, Li J, Breese GR, Samulski RJ, "Differential and Persistent Expression Patterns of CNS Gene Transfer by an Adeno-Associated Virus (AAV) Vector," 1996, Brain Res, 713:99-107.			
	B162	McPherson, R. A., L. J. Rosenthal, and associated virus replication," 1985, Viro	J. A. Rose, "Human cytomegalo		
	B163	Mendelson, E., J.P. Trempe, and B.J. Cassociated virus by antibodies to a synt	Carter "Identification of the trans-		
	B164	Meyers, C., Mane, M., Kokorina, N., Alavirus type 2 autonomously replicates in 272:338-346.	am, S. and Hermonat, P.L., "Ubi	quitous human adeno-associated	
	B165	Mitrani E, Ziv T, Thomsen G, Shimoni Y structures and is expressed in the hypo			
	B166	Mizukami, H., N.S. Young, and K.E. Bromembrane glycoprotein," 1996, Virolog	rown, "Adeno-associated virus type 2 binds to a 150-kilodalton cell		
	B167	Mori, S., L. Wang, T. Takeuchi, and T. I monkey: pseudotyping characterization			
·	B168	Mouw, M.B. and Pintel, D.J., "Adeno-as stimulated during coinfection with aden	· ·		
	B169	Muzyczka, N, "Use of adeno-associated Curr Top Microbiol Immunol, 158:97-12	_	vector for mammalian cells," 1992	
	B170	Myrup, A.C., Mohanty, S.B. and Hetrick from bovine adenovirus types 1 and 2,"			
	B171	Naz, S., Griffit,h A.J., Riazuddin, S., Ha Friedman, T.B., "Mutations of ESPN ca J Med Genet, 41(8):591-595.	mpton, L.L., Battey, J.F. Jr, Khause autosomal recessive deafne	n, S.N., Riazuddin, S., Wilcox, E.R ess and vestibular dysfunction,* 200	
•	B172	No D, Yao TP, Evans RM., "Ecdysone-i 1996, Proc Natl Acad Sci USA, 93(8):33	·	mmalian cells and transgenic mice	
	B173	Ogston, P., K. Raj, and P. Beard, "Prod papillomavirus type 16 (HPV-16) episor protein," 2000, <i>J Virol</i> , 74:3494-3504.	•		
_	B174	Opie et al., "Identification of amino acid contribute to heparan sulfate proteoglyc			
	B175	O'Riordan et al., "Scaleable Chromatog (rAAV)," 2000, J Gene Med, 2:444-454.	•	Recombinant Adeno-Associated Vir	
	B176	Parks, W.P., J.L. Melnick, R. Rongey, a defective adeno-satellite virus," 1967, J	- ·	and growth cycle studies of a	
/SK/	B177	Podsakoff, G., K.K. Jr Wong, and S. Chassociated virus-based vectors," 1994,		into nondividing cells by adeno-	

/Sumesh Kaushal/ (03/08/2007)

**Examiner Signature:** Date Considered:

APPLICATION No.: 10/719,311 SHEET 11 OF 15

			Com	plete if Known		
(Use as many sheets as necessary)			Application Number	10/719,311		
			Filing Date	November 20, 2003		
			First Named Inventor	Chiorini et al.		
			Group Art Unit	1633		
			Examiner Name	Kaushal, S.		
/SK/ B178		Polishchuk R, Di Pentima A, Lippincott the apical surface of polarized MDCK of	-Schwartz J, "Delivery of raft-as cells by a transcytotic pathway,"	ssociated, GPI-anchored proteins to 2004, Nat Cell Biol, 6(4):297-307.		
	B179	Prasad KM, Zhou C, Trempe JP, "Char Virology, 229(1):183-192, XP-0021250	racterization of the Rep78/aden			
	B180	Qing K, Mah C, Hansen J, Zhou S, Dw co-receptor for infection by adeno-asso				
	B181	Qiu J, Brown KE., "Integrin alphaVbeta 1999, Virology, 264(2):436-440.	5 is not involved in adeno-asso	ciated virus type 2 (AAV2) infection,"		
	B182		of a Single Adeno-Associated Virus (AAV) Type 2 Vector Genomensduction with Broad Specificity," 2002, J Virol, 76(2):791-801,			
	B183	Rabinowitz JE, Bowles DE, Faust SM, virion: the transcapsidation of adeno-as <i>Virol</i> , 78(9):4421-4432.				
	B184	Reddy, V. S., P. Natarajan, B. Okerber Johnson, "Virus Particle Explorer (VIPE analyses," 2001, <i>J Virol</i> , 75:11943-119	R), a website for virus capsid s			
	B185	Rich DP, Couture LA, Cardoza LM, Gu and Gregory RJ, "Development and an fibrosis," 1993, <i>Hum.Gene Ther.</i> , 4:461	iggio LM, Armentano D., Espinallysis of recombinant adenoviru			
	B186	Richardson, W. D., and H. Westphal, "I gene products in the helper effect for a	•			
	B187	Rose, J.A., M.D. Hoggan, F. Koczot, ar associated viruses," 1968, J. Virol., 2:9	nd A.J. Shatkin, "Genetic relate			
	B188	Rosenfeld et al., "Adeno-associated vir Neuro-Oncology, 34(2):139-144.	al vector gene transfer into lept	omeningeal xenografts," 1997, J		
	B189	Russell et al., "Adeno-Associated Virus Acad. Sci. USA, 91:8915-8919.	Vectors Preferentially Transdu	ice Cells in S Phase," 1994, Proc. Nat		
	B190	Rutledge EA, Halbert CL, and Russell I Virus (AAV) Serotypes other Than AAV	·			
	B191	Ryan, J.H., S. Zolotukhin, and N. Muzy associated virus terminal repeats," 199	· ·	for binding of Rep68 to the adeno-		
	B192	Rzadzinska, A. K., M. E. Schneider, et functional architecture and self-renewa		•		
	B193	Saffer, L. D., R. Gu, et al., *An RT-PCR control sensory epithelia of rat utricles,*	_	_		
/SK	B194	Samulski RJ, Chang LS, Shenk T, "Helintegration does not require viral gene	-			

/Sumesh Kaushal/ (03/88/6086nsidered: **Examiner Signature:** 

APPLICATION No.: 10/719,311 SHEET 12 OF 15

		<u></u>	Complete if Known			
(Use as many sheets as necessary)			Application Number	10/719,311		
			Filing Date	November 20, 2003		
			First Named Inventor	Chiorini et al.		
			Group Art Unit	1633		
			Examiner Name	Kaushal, S.		
/SKV	B195	Samulski, R. J., and T. Shenk, "Adenovirus E1B 55-M <sub>r</sub> polypeptide facilitates timely cytoplasmic accumulation of adeno-associated virus mRNAs," 1988, <i>J Virol</i> , 62:206-210.				
	B196	Samulski, R.J., K.I. Berns, M. Tan, and rescue of intact virus from the recombin 79:2077-2081.				
	B197	Sanes JR, JLR Rubenstein, and JF Nic lineage in mouse embryos," 1986, EMI		trovirus to study post-implantation or		
	B198		Atkinson, E.M., Reynolds, T. and Engelhardt, J.F., "Endocytosis and virus type 2 are controlled by rac1 and phosphatidylinositol-3 kina			
	B199	Schinkel AH, "P-Glycoprotein, a gatekeeper in the blood-brain barrier,"1999, Adv Drug Deliv Rev, 36:179-194.				
	B200		Fries B, zur Hausen H, "Inhibition of initiator-induced SV40 ger Chinese hamster cells by infection with a defective parvovirus," 0321.			
	B201	Schlehofer, J. R., M. Ehrbar, and H. zu induce DNA amplification in a human of 1986, <i>Virology</i> , 152:110-117.				
	B202	Schmidt M, Grot E, Cervenka P, Waine adeno-associated virus isolates in ATC				
	B203	Schmidt et al., "Cloning and characterization 78(12):6509-6516, XP00233552.	zation of a bovine adeno-assoc	iated virus," 2004, Journal of Virolog		
	B204	Schneider, M. E., I. A. Belyantseva, et al., "Rapid renewal of auditory hair bundles," 2002, Nature, 418(6900):837-838.				
	B205	Schwede, T., J. Kopp, N. Guex, and M modeling server," 2003, <i>Nucleic Acids</i>		An automated protein homology-		
	B206	Seiler MP, Miller AD, Zabner J, Halbert cell entry," 2006, <i>Hum Gene Ther</i> , 17:1		ypes 5 and 6 use distinct receptors f		
	B207	Seiler, M. P., C. L. Halbert, J. A. Chiori Transfer to Human Airway Epthelia Via				
	B208	Senapathy, P., J.D. Tratschin, and B.J. Complementation of naturally occurring of terminal palindrome deletions," 1984	g rep- mutants by a wild-type ge			
	B209	Shou, J., J. L. Zheng, et al., "Robust ge adenoviral expression of <i>Hath1</i> ," 2003,				
/SK/	B210	Smith, R. H., S. A. Afione, et al., "Trans virus type 5 helper plasmid," 2002, Bios	•			

/Sumesh Kaushal/ (03/08/2007)

Date Considered: **Examiner Signature:** 

**APPLICATION No.: 10/719,311 SHEET 13 OF 15** 

			Complete if Known		
(Use as many sheets as necessary)			Application Number	10/719,311	
			Filing Date	November 20, 2003	
			First Named Inventor	Chiorini et al.	
			Group Art Unit	1633	
		·	Examiner Name	Kaushal, S.	
/SK/	B211	Snyder RO, Miao CH, Patijn GA, Spratt SK, Danos O., Nagy D., Gown AM, Winther B., Meuse L., Cohen Li Thompson AR, and Kay MA, "Persistent and therapeutic concentrations of human factor IX in mice after hepatic gene transfer of recombinant AAV vectors," 1997, Nat. Genet., 16:270-276.			
•	B212	Sobkowicz, H. M., J. M. Loftus, et al., *502:3-36.	Tissue culture of the organ of Co	orti," 1993, Acta Otolaryngol Suppl,	
	B213	Staecker H, Li D, O'Malley BW Jr, Van of multiple vector systems," 2001, Acta	·	on in the mammalian cochlea: a stud	
	B214	Stracker, T. H., G. D. Cassell, P. Ward, Hamatake, P. C. van der Vliet, S. K. Wassociated virus type 2 interacts with si 2004, <i>J Virol</i> , 78:441-453.	eller, T. Melendy, and M. D. We	itzman, "The Rep protein of adeno-	
Summerford C, Bartlett JS, Samulski RJ., "AlphaVbeta5 integrin: a co-receptive 2 infection," 1999, Nat Med, 5(1):78-82.			receptor for adeno-associated virus		
	B216	Summerford, C. and R. J. Samulski, "Madeno-associated virus type 2 virions,"	·	* * * * * * * * * * * * * * * * * * *	
	B217	Superti, F., M. L. Marziano, A. Tinari, and in LCC-MK2 cells," 1993, Comp Immun	· · · · · · · · · · · · · · · · · · ·		
	B218	Suzuki, H., Y. Katori, et al., "Carbohydr detected by lectins," 1995, Hear Res, 8	•	ular macula of the guinea pig	
	B219	Teramoto, S., Bartlett JS, McCarty DXX associated virus-mediated gene transferadenovirus vectors," 1998, <i>J Virol</i> , 72:8	er to human cystic fibrosis airwa		
	B220	Thomas CE, Storm TA, Huang Z, Kay I transduction with pseudotyped adeno-a	•	₹	
	B221	Tratschin, J. D., M. H. West, T. Sandba as a eucaryotic vector: transient expres acetyltransferase," 1984, Mol Cell Biol,	ink, and B. J. Carter, "A human sision and encapsidation of the p	parvovirus, adeno-associated virus,	
	B222	Tratschin, J.D., I.L. Miller, and B.J. Card deletion mutants constructed in vitro and J. Virol., 51:611-619.	•	• •	
	B223	Trempe, J.P. and B.J. Carter, "Regulation," 198	_	ene expression in 293 cells: control	
	B224	Trempe, J.P., E. Mendelson, and B.J. Chuman cells by antibodies raised against	<u>▼</u>	· · · · · · · · · · · · · · · · · · ·	
	B225	Tuma PL and Hubbard AL, "Transcytos	is: crossing cellular barriers," 20	003, Physiol Rev, 83(3):871-932.	
/SK/	B226	Voutetakis A, Kok MR, Zheng C, Bossis YP, Nieman LK, Baum BJ, "Reengineer gene therapeutics," 2004, <i>Proc Natl Act</i>	red salivary glands are stable er		

/Sumesh Kaushal/ (03/08/2007)
Date Considered:

APPLICATION No.: 10/719,311 SHEET 14 OF 15

		Complete if Known			
(Use as many sheets as necessary)			Application Number	10/719,311	
			Filing Date	November 20, 2003	
			First Named Inventor	Chiorini et al.	
			Group Art Unit	1633	
			Examiner Name	Kaushal, S.	
/SK/	B227	Walsh, C.E., J.M. Liu, X. Xiao, N.S. Young, A.W. Nienhuis, and R.J. Samulski, "Regulated high level expression of a human gamma-globin gene introduced into erythroid cells by an adeno-associated virus vector," 1992, <i>Proc Natl Acad Sci USA</i> , 89:7257-7261.			
	B228	Walters, R.W., Yi, S.M., Keshavjee, S., adeno-associated virus type 5 to 2,3-lin 276:20610-20616.	Brown, K.E., Welsh, M.J., Chiorked sialic acid is required for ge	rini, J.A. and Zabner, J., "Binding of ne transfer," 2001, <i>J Biol Chem</i> ,	
	B229	Walters, RW, Duan D., Engelhardt JF, a phosphate coprecipitate improves general 74:535-540.			
	B230		nst T., Bergelson JM, Finberg RW, Welsh MJ, and Zabner J., "Basolateral localization its adenovirus infection from the apical surface of airway epithelia," 1999, J. Biol. Che		
	B231	Walz, C., A. Deprez, T. Dupressoir, M. papillomavirus type 16 and adeno asso <i>Gen Virol</i> , 78(Pt 6):1441-1452.			
	B232	Wang G., Davidson BL, Melchert P., Sle "Influence of cell polarity on retrovirus-re 1998, Journal of Virology, 72:9818-9826	nediated gene transfer to differe		
	B233	Wang, X. S., and A. Srivastava, "Rescu genomes containing Rep-binding site m	e and autonomous replication on the state of	of adeno-associated virus type 2 r," 1998, <i>J Virol</i> , 72:4811-4818.	
	B234	Ward, P., F. B. Dean, M. E. O'Donnell, vitro adeno-associated virus DNA replic			
	B235	Weindler, F. W., and R. Heilbronn, "A s functions for productive adeno-associate			
	B236	Winocour, E., M.F. Callaham, and E. H. 1988, <i>Virology</i> , 167:393-399.	uberman, "Perturbation of the ce	ell cycle by adeno-associated virus,"	
B237 Xiao, W., N. Chirmule, S. C. Berta, B. McCullough, G. Gao, and J. M. Wilson on adeno-associated virus type 1," 1999, <i>J Virol</i> , 73:3994-4003.		Vilson, "Gene therapy vectors based			
	B238	Xiao et al., "Efficient Long-Term Gene Associated Virus Vector," 1996, J. Virol		nmunocompetent Mice by Adeno-	
	B239	Xiao Xm Li J, Samulski RJ, "Production Absence of Helper Adenovirus," 1997, .	_	no-Associated Virus Vectors in the	
	B240	Xie Q. and Chapman MS, "Canine parv Biol, 264:497-520.	ovirus capsid structure, analyze	ed at 2.9 Å resolution," 1996, J Mol	
	B241	Yalkinoglu, A.O., Heilbronn, R., Burkle, adeno-associated virus as a response t			
/SK	B242	Yakobson, B., Hrynko, T.A., Peak, M.J. and Winocour, E., "Replication of adeno-associated virus in cells irradiated with UV light at 254 nm," 1989, <i>J Virol</i> , 63:1023-1030.		of adeno-associated virus in cells	

/Sumesh Kaushal/ (03/08/2007)

**Examiner Signature:** Date Considered:

APPLICATION No.: 10/719,311

**SHEET 15 OF 15** 

		Complete if Known			
(Use as many sheets as necessary)			Application Number	. 10/719,311	
			Filing Date	November 20, 2003	
			First Named Inventor	Chiorini et al.	
			Group Art Unit	1633	
			Examiner Name	Kaushal, S.	
/SK/	B243	Yamano, S., Huang, L.Y., Ding, C., Chiorini, J.A., Goldsmith, C.M., Wellner, R.B., Golding, B., Ko Scott, D.E. and Baum, B.J., "Recombinant adeno-associated virus serotype 2 vectors mediate sta interleukin 10 secretion from salivary glands into the bloodstream," 2002, <i>Hum Gene Ther</i> , 13:28:			
	B244	Yamaya, M., Finkbeiner WE, Chun SY, cultures from human tracheal epitheliun		•	
	B245	Zabner J, Seiler M, Walters R, Kotin RN type 5 (AAV5) but not AAV2 binds to the 2000, <i>J Virol.</i> , 74(8):3852-3858, XP002	e apical surfaces of airway ep		
	B246	Zabner, J., Zeiher BG, Friedman E, and Welsh MJ, "Adenovirus-mediated gene transfer to ciliated airway epithelia requires prolonged incubation time," 1996, J. Virol., 70:6994-7003.			
	B247	Zhang JR, Mostov KE, Lamm ME, Nani	Nanno M, Shimida S, Ohwaki M, Tuomanen E, "The polyites pneumococci across human nasopharyngeal epithelia		
	B248	Zhu ZB, Makhija SK, Lu B, Wang M, Riv "Transport across a polarized monolaye transcytosis," 2004, Virol, 325:116-128.	er of Caco-2 cells by transferri	<del>-</del>	

/Sumesh Kaushal/ (03/08/2007) Date Considered:

**Examiner Signature:**